

VIVE Pro 2



Headset Specs

1. Immerse yourself in next-gen visuals with industry-leading 5K resolution, wide 120° field of view, and an ultra-smooth 120Hz refresh rate.
2. Feel fully immersed with the equipped Hi-Res Certified headphones.
3. Experience best in class tracking performance and comfort.

Screen	Dual RGB low persistence LCD
Resolution	2448 × 2448 pixels per eye (4896 x 2448 pixels combined)
Refresh Rate	90/120 Hz (only 90Hz supported via VIVE Wireless Adapter)
Field of view	Up to 120 degrees (horizontal)
Audio	Hi-Res certified headset (via USB-C analog signal) Hi-Res certified headphones (removable) High impedance headphones support (via USB-C analog signal)
Inputs	Integrated dual microphones
Connections	Bluetooth, USB-C port for peripherals
Sensors	G-sensor, gyroscope, proximity, IPD sensor, SteamVR Tracking V2.0 (compatible with SteamVR 1.0 and 2.0 base stations)
Ergonomics	Eye relief with lens distance adjustment Adjustable IPD 57-70mm Adjustable headphones Adjustable headstrap

Processor Intel® Core™ i5-4590 or AMD Ryzen 1500 equivalent or greater

Graphics NVIDIA® GeForce® GTX 1060 or AMD Radeon RX 480 equivalent or greater.
*GeForce® RTX 20 Series (Turing) or AMD Radeon™ 5000 (Navi) generations or newer required for Full Resolution mode.

Memory 8 GB RAM or more

Video out DisplayPort 1.2 or higher

*DisplayPort 1.4 or higher with DSC is required for Full Resolution mode.

USB ports 1x USB 3.0** or newer

** USB 3.0 is also known as USB 3.2 Gen2

Operating system Windows® 10